



red. Martie 2018 Prețurile sunt în USD



022890089
060202500
Contacts: office@aitech.md
www.aitech.md

aitech
CREATIVE ATTITUDE
















MikroTik
















routerboard















SWITCHES				Retailer	Reseller	Brochure
1		RB/260GS	5x Gigabit Ethernet Smart Switch , SFP cage, plastic case, SwOS	53,5	48	Brochure
2		RB/260GSP	5x Gigabit POE-OUT for 2-5 port Ethernet Smart Switch , SFP cage, plastic case, SwOS	70,5	63	Brochure
ROUTER-SWITCHES				Retailer	Reseller	Brochure
3		CRS112-8G-4S-IN	8x Gigabit Ethernet Smart Switch, 4x SFP cages, 400MHz CPU, 128MB RAM, desktop case, RouterOS L5	193	173	Brochure
4		CRS109-8G-1S-2HnD-IN	Cloud Router Switch 109-8G-1S-2HnD-IN with Atheros AR9344 CPU, 128MB RAM, 8xGigabit LAN, 1xSFP, 2.4Ghz, 802.11b/g/n wireless, RouterOS L5, LCD panel, desktop case, PSU (802.11af/at compliant)	189	170	Brochure
6		CRS212-1G-10S-1S+IN	Smart Switch , 1x Gigabit LAN, 10x SFP cages, 1x SFP+ cage, LCD, 400MHz CPU, 64MB RAM, Metal desktop case, RouterOS L5	276	247	Brochure
7		CRS125-24G-1S-IN	24x Gigabit Ethernet layer 3 Smart Switch , 1x SFP cage, LCD, 600MHz CPU, 128MB RAM, Metal desktop case, RouterOS L5	246	220	Brochure
8		CRS326-24G-2S+RM	24 Gigabit port switch with 2 x SFP+ cages in 1U rackmount case, Dual boot (RouterOS or SwitchOS)	251	225	Brochure
9		CRS125-24G-1S-2HnD-IN	24x Gigabit Ethernet layer 3 Smart Switch , 1x SFP cage, LCD, 1000mW 802.11b/g/n Dual Chain wireless, 600MHz CPU, 128MB RAM, Metal desktop case, ROS L5	276	247	Brochure
11		CRS106-1C-5S	Cloud Router Switch 106-1C-5S , 5x 1.25G Ethernet SFP cage, Combo port 1 (Gigabit Ethernet / SFP), 400MHz CPU, 128MB RAM, desktop size smart switch, ROS L5	73,5	67	Brochure
12		CSS326-24G-2S+RM	Cloud Smart Switch 326-24G-2S+RM , SwOS powered 24 port Gigabit Ethernet switch with two SFP+ ports in 1U rackmount case that provides wire speed connectivity with several new switching features,	175	161	Brochure

ETHERNET ROUTERS			Retailer	Reseller	Brochure	
14		hEX lite	RB750r2: 5x Ethernet, Small plastic case, 850MHz CPU, 64MB RAM, Most affordable MPLS router, RouterOS L4	52,5	47	Brochure
16		hEX	RB750Gr3: 5x Gigabit Ethernet, 880Mhz CPU, 256MB RAM, RouterOS L4	73	66	Brochure
17		hEX PoE lite	RB750UPr2: 5xEthernet with PoE output for four ports, USB, 650MHz CPU, 64MB RAM, RouterOS L4	73	66	Brochure
18		hEX PoE	RB960PGS: 5xEthernet with PoE output for four ports, USB, 800MHz CPU, 128MB RAM, RouterOS L4	99	89	Brochure
19		PowerBox	RB750P-PBr2: 650MHz CPU, 64MB RAM, 5xEthernet with PoE output for four ports, RouterOS L4, outdoor case, PSU, POE	82	75	Brochure
20		RB2011iL-IN	Desktop metal case, 5xEthernet, 5xGigabit Ethernet, PoE out on port 10, 600MHz CPU, 64MB RAM, RouterOS L4	122	113	Brochure
21		RB/2011iL-RM	1U rackmount, 5xEthernet, 5xGigabit Ethernet, PoE out on port 10, 600MHz CPU, 64MB RAM, RouterOS L4	122	113	Brochure
22		RB/2011iLS-IN	Desktop metal case, 5xEthernet, 5xGigabit Ethernet, PoE out on port 10, 600MHz CPU, 64MB RAM, RouterOS L4	135	126	Brochure
23		RB2011UiAS-IN	Desktop metal case, 5xEthernet, 5xGigabit Ethernet, USB, LCD, PoE out on port 10, 600MHz CPU, 128MB RAM, RouterOS L5	146	133	Brochure
24		RB/2011UiAS-RM	1U rackmount, 5xEthernet, 5xGigabit Ethernet, 1x SFP USB, LCD, PoE out on port 10, 600MHz CPU, 128MB RAM, RouterOS L5	146	133	Brochure
25		RB3011UiAS-RM	1U rackmount, 10xGigabit Ethernet, USB 3.0, LCD, PoE out on port 10, 2x1.4GHz CPU, 1GB RAM, RouterOS L5	217	202	Brochure
26		RB/1100AHx4	Powerful 1U rackmount router with 13x Gigabit Ethernet ports	439	403	Brochure
27		RB1100AHx4 Dude Edition	Powerful 1U rackmount router with 13x Gigabit Ethernet ports, 60GB M.2 drive for Dude database	439	403	Brochure
28		CCR1009-7G-1C-PC	7x Gigabit Ethernet, 1xSFP cage, 9 cores x 1GHz CPU, 1GB RAM, passive cooling case, RouterOS L6	514	469	Brochure
29		CCR1009-7G-1C-1S+	1U rackmount, 7x Gigabit Ethernet, 1xSFP cage, 1xSFP+ cage, 9 cores x 1.2GHz CPU, 2GB RAM, LCD panel, Dual Power supplies, SmartCard slot, RouterOS L6	584	540	Brochure

30		CCR1009-7G-1C-1S+PC	1U rackmount, 7x Gigabit Ethernet, 1xSFP cage, 1xSFP+ cage, 9 cores x 1.2GHz CPU, 2GB RAM, LCD panel, passive cooling desktop enclosure, SmartCard slot, RouterOS L6, PSU	584	540	Brochure
32		CCR1016-12G	1U rackmount, 12x Gigabit Ethernet, LCD 16 cores x 1.2GHz CPU, 2GB RAM, 17.8mpps fastpath, Up to 12Gbit/s throughput, RouterOS L6	739	660	Brochure
33		CCR1016-12S-1S+	1U rackmount, 12xSFP cage, 1xSFP+ cage, 16 cores x 1.2GHz CPU, 2GB RAM, LCD panel, Dual Power supplies, RouterOS L6	869	763	Brochure
34		CCR1036-12G-4S	1U rackmount, 12x Gigabit Ethernet, 4xSFP cages, LCD 36 cores x 1.2GHz CPU, 4GB RAM, 24 mpps fastpath, Up to 16Gbit/s throughput, RouterOS L6	1079	1027	Brochure
35		CCR1036-8G-2S+	1U rackmount, 8x Gigabit Ethernet, 2xSFP+ cages, LCD 36 cores x 1.2GHz CPU, 4GB RAM, 41.5mpps fastpath, Up to 28Gbit/s throughput, RouterOS L6	1199	1110	Brochure
36		CCR1036-12G-4S-EM	1U rackmount, 12x Gigabit Ethernet, 4xSFP cages, LCD 36 cores x 1.2GHz CPU, 16GB RAM, 24 mpps fastpath, Up to 16Gbit/s throughput, RouterOS L6	1324	1193	Brochure
37		CCR1036-8G-2S+EM	1U rackmount, 8x Gigabit Ethernet, 2xSFP+ cages, LCD 36 cores x 1.2GHz CPU, 16GB RAM, 41.5mpps fastpath, Up to 28Gbit/s throughput, RouterOS L6	1454	1287	Brochure
38		CCR1072-1G-8S+	1U rackmount, 1x Gigabit Ethernet, 8xSFP+ cages, LCD 72 cores x 1GHz CPU, 16GB RAM, up to 100 million packets per second, 80Gbps throughput, RouterOS L6	3792	3388	Brochure
WIRELESS FOR HOME & OFFICE				Retailer	Reseller	Brochure
39		hAP mini	Tiny size home 2.4Ghz AP with three LAN ports	25	23	Brochure
40		hAP lite Classic	RB941-2nD: our lowest cost home wireless AP with dual chain 2.4GHz wireless, powered by USB	28,5	26	Brochure
41		hAP	RB951Ui-2nD: 2.4GHz AP, Five Ethernet ports, POE-out on port 5, USB for 3G/4G support	55	50	Brochure
42		hAP ac	RB962UiGS-5HacT2HnT: Dual-Concurrent Tripple Chain 2.4/5GHz AP, 802.11ac/a/n/b/g, Five Gigabit Ethernet ports, PoE-out on port 5, SFP, 3G USB for 3G/4G support or storage	159	146	Brochure
43		hAP ac Lite	RB952Ui-5ac2nD: Dual-Concurrent 2.4/5GHz AP, 802.11ac, Five Ethernet ports, POE-out on port 5, USB for 3G/4G support	60	57	Brochure
44		hAP lite (TC)	RB941-2nD: our lowest cost home wireless AP with dual chain 2.4GHz wireless, powered by USB	28,5	26	Brochure
45		wAP	RBwAP2nD: Small weatherproof wireless access point for mounthin on a ceiling, wall or pole	55	50	Brochure
















46		wAP ac	RBwAPG-5HacT2HnD: Small dual-band 2.4 / 5GHz white weatherproof wireless access point for mounting on a ceiling, wall or pole	109	101	Brochure
47		mAP lite	RBmAPL-2nD: Tiny size 2.4GHz Dual Chain access point with a 650MHz CPU, 64MB RAM and one Ethernet	31,5	30	Brochure
49		mAP	2.4GHz micro AP, 650MHz CPU, 64MB RAM, 2xEthernet, PoE out	56	51	Brochure
50		cAP	Ceiling AP, Dual-Chain 2.4GHz, 650MHz CPU, RouterOS L4, 802.3at/af support	62	57	Brochure
51		cAP lite	Ceiling AP RBcAPL-2nD with power supply, PoE in 802.3af/at, CPU 650 MHz (RouterOS L4)	35	32	Brochure
52		RB951Ui-2HnD	2.4Ghz 1000mW AP, 5xEthernet, PoE output on port 5, USB, 600MHz CPU, 128MB RAM	75	68	Brochure
53		RB951G-2HnD	2.4Ghz 1000mW AP, 5xGigabit Ethernet, USB, 600MHz CPU, 128MB RAM	100	90	Brochure
54		RB2011UiAS-2HnD-IN	2.4Ghz 1000mW AP, 5xEthernet, PoE output on port 5, 5xGigabit Ethernet, 1x SFP cage, USB, LCD, 600MHz CPU, 128MB RAM	162	146	Brochure
WIRELESS SYSTEMS				Retailer	Reseller	Brochure
55		QRT 5 ac	RB911G-5HPacD-QRT: Dual chain 5GHz 802.11a/n/ac QCA9882, 128 MB RAM, 720 MHz CPU, 24 DBi antenna gain	251	225	Brochure
56		DynaDish 5	RBDynaDishG-5HacD: Dual chain 5GHz 802.11a/n/ac QCA9882, 128MB RAM, 720 MHz CPU, 25dBi antenna gain	191,5	176	Brochure
		LHG 5 ac	Dual chain 24.5dBi 5GHz CPE/Point-to-Point Integrated Antenna with AC support and Gigabit Ethernet		101	Brochure
57		Metal 52 ac	RBMetalG-52SHPacn: Now with 802.11ac support, a Gigabit Ethernet port and a selectable wireless band (2.4GHz or 5GHz, up to 80 MHz wide channel), waterproof metal enclosure, CPU 720 MHz, RAM 64 MB, PoE in Yes	146	133	Brochure
58		NetMetal 5HPacT-NM	RB922UAGS-5HPacT-NM: Triple chain 5GHz integrated 802.11ac AP/Backbone/CPE with an additional miniPCI-e slot, Gigabit Ethernet, waterproof metal enclosure	200	180	Brochure
59		NetMetal 5HPacD	RB922UAGS-5HPacD-NM: Dual chain 5GHz integrated 802.11ac AP/Backbone/CPE with an additional miniPCI-e slot, 2xRPSMA connectors, Gigabit Ethernet, waterproof metal enclosure	187	168	Brochure
60		NetMetal 5SHPacT	RB921UAGS-5SHPacT-NM: Triple chain 5GHz integrated 802.11ac AP/Backbone/CPE, 3xRPSMA connectors, 2000mW TX power, Gigabit Ethernet, waterproof metal enclosure	204,5	190	Brochure

61		NetMetal 5SHPacD	RB921UAGS-5SHPacD-NM: Dual chain 5GHz integrated 802.11ac AP/Backbone/CPE, 2xRPSMA connectors, 2000mW TX power, Gigabit Ethernet, waterproof metal enclosure	200	180	Brochure
64		SXT Lite5 ac	RBSXT5HacD2n: 16dBi integrated CPE/Backbone, 5Ghz dual chain with 802.11ac support, 650MHz CPU	77,5	71	Brochure
65		SXT HG5 ac	RBSXTG-5HPacD-HG: Dual chain 5GHz 802.11a/n/ac QCA9882, 128 MB RAM, 720 MHz CPU, 17 DBI antenna gain	147	133	Brochure
66		Groove 52ac	RBGrooveG-52HPacn: 2.4Ghz/5Ghz Backbone/CPE, 500mW TX, N-male connector	99	89	Brochure
67		GrooveA 52ac	RBGrooveGA-52HPacn: 2.4Ghz/5Ghz Backbone/CPE, 500mW TX, N-male connector	124,5	113	Brochure
68		NetBox 5	RB911G-5HPacD: 802.11ac support for up to 540Mbps, waterproof enclosure, 1300mW output	142	128	Brochure
69		mANTBox 15s	RB921GS-5HPacD-15S: 5GHz 120 degree 15dBi dual polarization sector Integrated antenna with 720Mhz CPU, 128MB RAM, SFP, PSU and PoE	177,5	160	Brochure
70		mANTBox 19s	RB911G-5HPacD: 5GHz 120 degree 19dBi dual polarization sector Integrated antenna with 720Mhz CPU, 128MB RAM, SFP, PSU and PoE	251	225	Brochure
71		LHG 5	RBLHG-5nD: Dual chain 24.5dBi 5GHz CPE/Point-to-Point Integrated Antenna, 600Mhz CPU, 64MB RAM	71	65	Brochure
72		SXT LTE	RBSXTLTE3-7: RBSXTLTE3-7 is a special variant of our popular SXT device. High quality LTE Category 3 modem for speeds of up to 100Mbit/s downlink and 50 Mbit/s uplink.	162	146	Brochure
73		DISC Lite5	RBDisc-5nD: DISC Lite5, LHG hardware design. DISC Lite5 is equipped with 21dBi Dual Chain 802.11n integrated CPE with 600MHz CPU, 64MB RAM, 1x 10/100Mbps Ethernet port and RouterOS L3 installed. CPU 600 MHz	58	54	Brochure
74		LDF 5	RBLDF-5nD: is an outdoor wireless system with a built in antenna, meant to be installed on satellite offset dish antennas. The dish will act as a reflector, amplifying the signal. CPU 600 MHz, 10/100 Ethernet ports, PoE in	48	44	Brochure
75		SXT Lite2	RBSXT-2nDr2: 2.4Ghz Dual Chain 802.11b/g/n CPE, RouterOS L3, POE, PSU, pole mount	62	57	Brochure
76		SXT Lite5	RBSXT-5nDr2: 16dBi integrated, 500mW TX, CPE/Backbone, 5Ghz dual chain, 802.11a/n CPE, 600MHz CPU, RouterOS L3, POE, PSU, pole mount	73	66	Brochure
77		Groove 52HPn	RBGroove52HPn: 2.4Ghz/5Ghz Backbone/CPE, 500mW TX, N-male connector	73	66	Brochure

78		GrooveA 52HPn	RBGrooveA-52HPn: 2.4Ghz/5Ghz Backbone/CPE, 500mW TX, N-male connector	99	89	Brochure
79		SXT 2	RBSXTG2HnD: 10dbi 60 degree integrated AP/Backbone/CPE, 1600mW dual chain, Gigabit Ethernet	99	89	Brochure
81		BaseBox2	RB912UAG-2HPnD-OUT: 2.4Ghz integrated AP/Backbone/CPE, 2xRPSMA connectors, 1000mW TX power, miniPCI-e slot, Gigabit Ethernet	111	100	Brochure
82		BaseBox5	RB912UAG-5HPnD-OUT: 5Ghz integrated AP/Backbone/CPE, 2xRPSMA connectors, 1000mW TX power, miniPCI-e slot, Gigabit Ethernet	111	100	Brochure
83		OmniTIK 5	7.5dBi Integrated AP, 5Ghz Dual chain, 5xEthernet ports	111	100	Brochure
84		OmniTIK 5PoE	7.5dBi Integrated AP, 5Ghz Dual chain, 5xEthernet ports with PoE output	124	112	Brochure
85		OmniTIK 5 ac	7.5dBi Integrated AP, 5Ghz Dual chain, 5x 10/100/1000 Ethernet ports, with PoE In	136	122	Brochure
86		OmniTIK 5 PoE ac	RBOmniTikPG-5HacD: 7.5dBi Integrated AP, 5Ghz Dual chain, 5x 10/100/1000 Ethernet ports, with PoE output	162	146	Brochure
88		SXT SA5	RBSXTG-5HPnD-SAr2: 14dBi integrated Sector AP, 90 degrees beamwidth, 1000mW TX power, Gigabit Ethernet	126	113	Brochure
90		Metal 2SHPn	2.4Ghz Integrated AP/Backbone/CPE, 1600 mW TX power, N-male connector, 6dBi Omni antenna	162	146	Brochure
91		Metal 5SHPn	5Ghz Integrated AP/Backbone/CPE, 1300 mW TX power, N-male connector	126	113	Brochure
92		SEXTANT G5HPnD	18dBi integrated CPE/Backbone, Gigabit Ethernet	189	170	Brochure
93		QRT-2	RBQRTG-2SHPnD: 2.4Ghz AP/Backbone/CPE, 3166mW dual-chain, Gigabit Ethernet	213	191	Brochure
94		QRT-5	RB911G-5HPnD-QRT: 5GHz AP/Backbone/CPE, 1000mW dual-chain, Gigabit Ethernet	560	501	Brochure

RouterBOARD			Retailer	Reseller	Brochure	
97		911 Lite 5	RB911-5Hn : 600Mhz CPU, 64MB RAM, 1xEthernet, onboard 5Ghz single chain wireless, RouterOS L3	44	41	Brochure
98		911 Lite5 dual	RB911-5HnD : 600Mhz CPU, 64MB RAM, 1xEthernet, onboard 5Ghz Dual chain wireless, RouterOS L3	50	45	Brochure
99		911 Lite5 ac	RB911-5HacD : 650Mhz CPU, 64MB RAM, 1xEthernet, onboard 5Ghz dual chain wireless with AC, RouterOS L3	55	50	Brochure
100		RB911G-2HPnD	600Mhz CPU, 32MB RAM, 1xGigabit Ethernet, onboard 1000mW 2.4Ghz wireless, RouterOS L3	63	57	Brochure
101		RB911G-5HPnD	600MHz CPU, 32MB RAM, 1xGigabit Ethernet, onboard 1000mW 5GHz wireless, RouterOS L3	68	52	Brochure
102		RB911G-5HPacD	720Mhz CPU, 128MB RAM, 1xGigabit Ethernet, onboard 1300mW 802.11ac Two Chain 5Ghz wireless, RouterOS L3	99	89	Brochure
103		RB912UAG-2HPnD	600MHz CPU, 64MB RAM, 1xGigabit Ethernet, onboard 1000mW 2.4Ghz wireless, miniPCI-express, USB, SIM slot, RouterOS L4	99	89	Brochure
104		RB912UAG-5HPnD	600MHz CPU, 64MB RAM, 1xGigabit Ethernet, onboard 1000mW 5Ghz wireless, miniPCI-express, USB, SIM slot, RouterOS L4	99	89	Brochure
106		RB411U	300MHz CPU, 32MB RAM, 1xEthernet, miniPCI, USB, RouterOS L4	99	99	Brochure
107		RB411AH	680MHz CPU, 64MB RAM, 1xEthernet, miniPCI, RouterOS L4	126	126	Brochure
114		RB450	300MHz CPU, 32MB RAM, 5xEthernet, RouterOS L5	85	80	Brochure
115		RB450G	680MHz CPU, 256MB RAM, 5xGigabit Ethernet RouterOS L5	125	113	Brochure
116		RB800	800MHz CPU, 256MB RAM, 3x Gigabit Ethernet, 4x miniPCI, USB, miniPCI-express, daughterboard connector RouterOS L6	450	410	Brochure
118		RB850Gx2	Dual Core P1023 500MHz CPU, 512MB RAM, 5xGigabit Ethernet, RouterOS L5	162	146	Brochure
119		RB922UAGS-5HPacD	720Mhz CPU, 128MB RAM, 1xGigabit Ethernet, 1xSFP cage, 1xminiPCI-e, 1xSIM, onboard 1000mW 802.11ac Two Chain 5Ghz wireless, RouterOS L4	129	116	Brochure

120		RB953GS-5HnT-RP	720MHz CPU, 128MB RAM, 3x Gigabit Ethernet, 2xSFP cage, built-in 5GHz 3x3 MIMO wireless, 2x miniPCI-e, 2x SIM, USB, 3xRPSMA connectors, RouterOS L5	213	191	Brochure
ENCLOSURES				Retailer	Reseller	Brochure
123		CA/150	Black aluminium indoor, Fits RB450 series	18	16	Brochure
124		CA/411-711	Black aluminium indoor, fits RB411, RB711, RB911, RB912 series, set of front panels	18	16	Brochure
125		CA/433U	Black aluminium indoor, Fits RB433 series	29	26	Brochure
126		CAOTS	Plastic outdoor, Ethernet insulator, fits RB411, RB911, RB912 and RB922 series, Mounting set included	63	60	Brochure
127		CAOTU	Plastic outdoor, Ethernet insulator, fits RB411, RB433, RB493, RB800 series, Mounting set included	104	98	Brochure
POWER SUPPLIES				Retailer	Reseller	Brochure
128		18POW	12V 1A/24V 0.8A Power adapter	10	8	Brochure
129		24POW	24V 1.6A adapter, for long cables, for installations with many miniPCI	23	20	Brochure
130		48POW	48V 1.46A power adapter, Fits RB800	23	20	Brochure
131		48 to 24V Gigabit PoE Converter	RBGPOE-CON-HP: 48 to 24V 10/100/1000Mbps PoE converter 802.3af support, 802.3at PoE plus support	33	30	Brochure
132		5VUSB	USB power injector for RB411UAHR or RB493G	3	2,5	Brochure
133		RB/POE	PoE injector, for 10/100Mbps products	4	4	Brochure
134		RB/GPOE	PoE injector, for Gigabit LAN products	8	7	Brochure

ANTENNAS			Retailer	Reseller	Brochure	
135		mANT 30 PA	Parabolic dish antenna for 5GHz, 30dBi gain. This model includes precision alignment mount	161	144	Brochure
136		mANT 19s	The new sector mANT antennas are the perfect companion for the BaseBox, NetBox, NetMetal. Dual-polarization 19dBi 120 degree beamwidth antenna with two RP-SMA connectors. Frequency Range 5.17 - 5.825 GHz	123	113	Brochure
137		mANT 30	Parabolic dish antenna for 5GHz, 30dBi gain	143	128	Brochure
138		mANT 15s	The new sector mANT antennas are the perfect companion for the BaseBox, NetBox, NetMetal or any other outdoor wireless device, dual-polarization 15dBi 120 degree, frequency Range 5.17 - 5.825 GHz	63	57	Brochure
139		Radome Cover	MTRADC Radome Cover single pack for mANT, reduces wind load, increases antenna operational life	48	44	Brochure
140		Sleeve 30 kit	The Sleeve30 kit for our mANT30 parabolic antenna will enhance point-to-point link performance by reducing noise and will also reduce impact on adjacent RF devices by removing the side radiation from the antenna.	112	100	Brochure
ACCESSORIES			Retailer	Reseller	Brochure	
141		FTC	RBFTC11: Fiber to Copper converter, Outdoor case, 12-57V PoE with 802.3af/at support	50	50	Brochure
142		quickMOUNT	QM: Basic wall mount adapter for small point to point and sector antennas	5	4	Brochure
143		quickMOUNT PRO	QMP: Advanced wall mount adapter for small point to point and sector antennas	9	8	Brochure
144		Flex-guide	Low loss cable assembly, soldered on both ends, with silver plated copper and less than 0.65dB losses	11	10	Brochure
145		2.4Ghz Dipole	2.4Ghz 5dBi Dipole antenna with RPSMA connector	9	8	Brochure
146		AC/SWI	2.4/5Ghz Omni antenna, 4dBi gain, ufl connector	12	12	Brochure
147		AC/SWIM	2.4/5Ghz Omni antenna, 4dBi gain, MMCX connector	13	13	Brochure
148		AC/MMCX	MMCX to NFemale pigtail	8	8	Brochure
149		AC/UFL	uFl to Nfemale pigtail cable, fits R52H, R11e-2HnD	6	6	Brochure

150		ACMMCXRPSMA	MMCX to RPSMA pigtail	8	7	Brochure
151		GPON ONU module	SFPONU: Pluggable GPON ONU interface for Fiber to Home	107	97	Brochure
152		S-RJ01	RJ45 SFP 10/100/1000M copper module	36	32	Brochure
153		S-85DLC05D	SFP (1.25G) module, 550m, Multi Mode	22	19	Brochure
154		S-3553LC20D	Two SFP (1.25G) module kit, 20Km, single mode	89	79	Brochure
155		S+85DLC03D	SFP+ (10Gbit), 300m, Multi Mode	72	65	Brochure
156		S+31DLC10D	SFP+ (10Gbit) module, Long range 10km, Single Mode	189	178	Brochure
157		S-31DLC20D	SFP module (1.25G) SM, 20Km, 1310nm	29	26	Brochure
158		S+2332LC10D	pair of SFP+ (10Gbit) modules, 10K, for single optical cable	470	433	Brochure
160		R52nM Card MiniPCI	2.4/5Ghz miniPCI 802.11a/b/g/n dual chain, 2x MMCX	45	45	Brochure
161		R11e-2HPnD	2Ghz miniPCI-express, 802.11b/g/n dual chain, 1000mW, 2x MMCX	45	45	Brochure
162		R11e-5HnD	5Ghz miniPCI-express, 802.11a/n dual chain, 500mW, 2x MMCX	45	45	Brochure
163		R11e-5HacD	5Ghz miniPCI-express, 802.11ac/a/n dual chain, 500mW, 2x MMCX	61	57	Brochure
171		SFP+ 1m	SFP+ direct attach cable, 1m	40	40	Brochure
172		SFP+ 3m	SFP+ direct attach cable, 3m	54	54	Brochure

MIKROTIK LICENSE			Retailer	Reseller	Brochure
173	RouterOS L4 (WISP)	RouterOS License Level 4	39	36	Brochure
174	RouterOS L5 (WISP)	RouterOS License Level 5	75	70	Brochure
175	RouterOS L6 (Controller)	RouterOS License Level 6	210	196	Brochure
Contul de plată este valabil 3 zile					
office@aitec.md / tel. 022- 89 00 89; / mob. 068 422 285			www.aitech.md; www.router.md; www.mikrotik.srl		